

FACE SHIELD **NEW**



- Protects face from accidental splashes
- Anti-fog and anti-static
- Comfortable foam head piece
- Latex free
- Single use
- Pet lens, 14 mil thickness
- Premium quality, optically clear and distortion free
- Soft stretchable headband
- Non-sterile
- Full face, 13 x 9 inches

Conforms to OSHA 29CFR Part 1910.1030 for bloodborne pathogens and the CDC's recommendations for protective eyewear.

Part No.	Description	Qty/Case
PFS	Plastic Face Shield 1 ea/plastic bag	200

FILTER ADAPTERS



These NEOPRENE rubber adapter sets consist of seven cones designed to fit the Buchner and fritted glass funnels, porcelain filters without headpieces, and for reverse flow cleaning of filter crucibles. Especially useful for supporting funnels, Gooch crucibles, filter tubes, etc. in filtration assemblies. The adapter does not need to be fitted closely around the funnel stem to be functional. Can be used singly or nested with adjacent sizes. Eliminates boring of special size holes in rubber stoppers and difficulties of insertion and removal. Withstands autoclaving. Available as a set or in individual sizes.

Part No.	Description	O.D. MM Top x Bottom	I.D. MM Top x Bottom	Hgt. MM	Wall MM	Qty/Pk
1010ASC	Adapter, 25 sets of 7					25
1010A1	Adapter, size 1	21 x 11	17 x 7	21	2	12
1010A2	Adapter, size 2	27 x 16	22 x 11	21	2.5	12
1010A3	Adapter, size 3	37 x 22	31 x 16	25	3	12
1010A4	Adapter, size 4	46 x 29	39 x 22	29	3.5	12
1010A5	Adapter, size 5	58 x 38	50 x 30	35	4	12
1010A6	Adapter, size 6	69 x 45	60 x 36	40	4.5	12
1010A7	Adapter, size 7	86 x 57	75 x 46	45	5.5	12

DOUBLE VALVE BULBS



Bulb capacity 85 ml. Black natural rubber. Two rubber valves with 2 connectors and 4 inches of tubing. The vacuum/pressure bulb is for gas sampling or for pumping gas through apparatus.

<u>Catalog Number</u>	<u>Description</u>	<u>Quantity/Case</u>
DVPVT	Vacuum/Pressure Bulb 2-PVC connectors 4 inch tubing included	1
DVMVT	Pressure Bulb 2-Metal connectors 4 inch tubing included	1

LARGE RED BULBS



Bulbs for large pipettes and syringes. Easy grip. Natural red rubber. The 150 ml size has reinforcing ribs.

<u>Catalog Number</u>	<u>Capacity</u>	<u>Length (mm)</u>	<u>Diameter</u>	<u>Diameter of Opening (mm)</u>	<u>Quantity/case</u>
LB5	5 ml	41	29	4	12
LB8	8 ml	40	20	4	12
LB10	10 ml	51	34	4	12
LB15	15 ml	55	35	4	12
LB30	30 ml	66	45	6.4	12
LB60	60 ml	80	55	6.4	12
LB100	100 ml	66	64	6.4	12
LB150	150 ml	98	73	6.4	12

SMALL DROPPER BULBS



For use with Pasteur pipettes, small pipettes and medicine droppers.

<u>Catalog Number</u>	<u>Description</u>	<u>Capacity</u>	<u>Length (mm)</u>	<u>Quantity/case</u>
SB1BL	Blue Natural Rubber	1 ml	29	24
SB3BL	Blue Natural Rubber	3 ml	41	24
SB1AL	Amber Latex	1 ml	38	72
SB2AL	Amber Latex	2 ml	56	72
SB1BK	Black Natural Rubber	1 ml	31	100

SAFETY BULB PIPETTE FILLER, CONICAL



Rubber bulb with conical silicone attachment fits small pipettes through the largest volumetrics. Just squeeze the bulb and touch to the pipette to form a seal. Let suction draw fluid, then lift bulb away and control fluid level with index finger. Eliminates danger of breaking glass when twisting bulb to attach to pipettes. Autoclavable. Each bulb comes with handy elastic band for hanging on wrist or reagent bottle.

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
5020PB	Pipette Filler, Conical	144

SAFETY PIPETTE FILLER



This bulb-type safety pipette filler is designed for efficient one-hand operation. Made from natural rubber. With 3 glass valves

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
5030RED	Pipette Filler, Red	72
5030BLACK	Pipette Filler, Black	72
5030BLUE	Pipette Filler, Blue	72

UNIVERSAL PIPETTE PUMP



Easy and accurate to use. Can be used with all types of pipettes. Made from high quality plastic for long lasting use.

<u>Catalog No.</u>	<u>Color</u>	<u>Size</u>	<u>Quantity/case</u>
771002	Blue	2 mL	10
771010	Green	10 mL	10
771025	Red	25 mL	10

PIPETTE CONTROLLER



Works with 0.1-100 mL glass and plastic pipettes. Precise pipetting control. Filling and delivery are easily controlled. A replaceable .45 micron filter is included.

<u>Catalog No.</u>	<u>Description</u>	<u>Quantity/case</u>
7710PC	Pipette Controller	1

LAB COUNTER



The 1 & 2 counting units have a range of 0 – 999 with a single reset knob. The 2 counter unit has removable tabs for top identification.

The 5 & 8 counting units record up to 999. The last unit without a key on the right is the totalizing unit which records the total number of strokes made on other keys. At 100 increments, the totalizing unit rings a bell. Reset knobs are on each side. Removable tabs provide an area for identification of the classification being counted.

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
101C	Counter w/1 counting unit	1
202CI	Counter w/2 counting units	1
505CI	Counter w/5 counting units	1
808CI	Counter w/8 counting units	1

MANUAL COUNTER



Four digit hand counter records to 9999. White numerals are on a black background for ease in reading. Thumb pressure on button produces an audible click.

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
4200 HC	Hand Held Counter	10

MORTON® CULTURE TUBE CLOSURES



The stainless steel cylindrical closures are excellent for microbiology and related applications. Non-contaminating closures may be autoclaved repeatedly without loss of resilience. The indentations on the top surface permit adequate exchange of gasses under aerobic and anaerobic conditions, yet prevent dust and micro-organisms from collecting at the top.

These noncorrosive closures reduce the amount of specimen evaporation to about half of that of cotton plugging. These closures are available with or without three resilient fingers which permit adjustment to nominal variations in the O.D.

WITH FINGERS:

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
13144CL	13mm Lanced Closure	144
16144CL	16mm Lanced Closure	144
18144CL	18mm Lanced Closure	144
20144CL	20mm Lanced Closure	144
25072CL	25mm Lanced Closure	72
38036CL	36mm Lanced Closure	36

WITHOUT FINGERS:

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
13144UL	13mm Plain Closure	144
16144UL	16mm Plain Closure	144
18144UL	18mm Plain Closure	144
20144UL	20mm Plain Closure	144
25072UL	25mm Plain Closure	72

STANDARD TAPER CLAMPS

Stainless Steel 316Ti



These stainless steel, corrosion resistant clamps use strong spring closed forced jaw designed for securing standard taper joints.

<u>Part No.</u>	<u>Size</u>	<u>Fits Joint No.</u>	<u>Qty/Pk</u>
203014	14	14/all	10
203019	19	19/all	10
203024	24	24/all	10
203029	29	29/all	10
203045	45	45/all	10

BALL & SOCKET CLAMPS

Stainless Steel, 304, 18/8




Made of stainless steel. Clamps for use with Ball & Socket joints. All sizes have screw locking devices except sizes 12WOS and 18WOS.

<u>Part No.</u>	<u>Size</u>	<u>Fits Joint No.</u>	<u>Qty/Pk</u>
20112WOS	12	12/1 to 12/5	12
20118WOS	18	18/7 to 18/9	12
20112WS	12	12/1 to 12/5	12
20118WS	18	18/7 to 18/9	12
20128WS	28	28/11 to 25/15	12
20135WS	35	35/20 to 35/25	12
20140WS	40	40/25	12
20150WS	50	50/30	6
20165WS	65	65/40	6
20275WS	75	75/50	6

POLYOXYMETHYLENE (POM) JOINT CLIPS - KECK® TYPE

Made of polyoxymethylene (POM) for use on standard taper glass joints. Will not scratch glass. Color coded for easy size identification.

FOR STANDARD TAPER JOINTS (any length)



<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
203110	Clips, size 10, green	10
203112	Clips, size 12, violet	10
203114	Clips, size 14 yellow	10
203119	Clips, size 19, blue	10
203124	Clips, size 24, green	10
203129	Clips, size 29, red	10
203134	Clips, size 34, orange	10
203140	Clips, size 40, gold	10
203145	Clips, size 45, brown	10

FOR BALL & SOCKET JOINTS



<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
203213	Clips, size 13, violet	10
203219	Clips, size 19, blue	10
203229	Clips, size 29, red	10
203235	Clips, size 35, orange	10

METAL JOINT CLIPS - KECK® TYPE


Nickel-plated steel clips. For standard taper joints. Superior chemical and temperature resistance. Temperature up to 932 degrees F.



<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
203414	Clips for joint size 14	10
203419	Clips for joint size 19	10
203424	Clips for joint size 24	10
203429	Clips for joint size 29	10

STAINLESS STEEL STANDARD TAPER JOINT CLIPS

Securely hold joints, with corrosion-free stainless steel spring wire.



<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
203310	Size 10	10
203312	Size 12	10
203314	Size 14	10
203319	Size 19	10
203324	Size 24	10
203329	Size 29	10
203345	Size 45	10

LATTICE CONNECTORS



These slotted lattice connectors are made of cast aluminum with a smooth round surface for connecting lattice rod supports for laboratory apparatus. These spherical designed connectors assure rigidity, solidity and freedom from breakage. The U-shaped slots on each side take standard 1/2 inch rod and make possible many combinations of rod supports. The axial hole permits rods to be joined at right angles in the same plan. The open U slot allows removal or addition of rods to a laboratory setup without disturbing the whole structure. The set screws are easily tightened with the Allen wrench. The screws, when tightened in place, are flush, eliminating the inconvenience of protruding locking devices. Package includes Allen wrench.

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
4010LC	Lattice Connector	12

SUPPORT FOOT



The support feet are of non-ferrous alloy, two inches in diameter, 16mm high, with set screw for fastening lattice frame rods. Provided without mounting screws. Foot has four holes for attaching to bench, floor or wall. Holds rods up to 13mm in diameter.

<u>Part No.</u>	<u>Description</u>	<u>Qty/Pk</u>
4010SF	Support Foot	10

FILTER FORCEPS



Made of type 20 stainless steel.
Tips have flat, smooth surface for handling membranes.

<u>Catalog Number</u>	<u>Description</u>	<u>Quantity</u>
FF-001	Straight tip, Polypropylene finger grip	10/pack
FF-002	Straight tip, Serrated grip	10/pack
FF-003	Bent tip Serrated grip	10/pack

LABORATORY SCOOP, STAINLESS STEEL



Stainless steel. Does not rust. One end pointed, the other end blunt. 6 ½ inches long.

<u>Part No.</u>	<u>Description</u>	<u>Qty/Case</u>
LS65SS	Lab Scoop, 10/pack	10 packs

HAND PROTECTOR



Silicone rubber hand protector for safe handling of hot objects to 500 degrees Fahrenheit and cold objects to -70 degrees Fahrenheit. Pockets for thumb and finger fit every hand size. Gripping surface studded for positive grip. Tabs for hanging. Size: 4 inches x 7 1/2 inches.

Catalog Number	Description	Quantity
6010HP	Hand Protector	20/case


FLASK STAND – POLYPROPYLENE - *NEW*



For use with round bottom flasks up to 10,000 ml. Ribbed to hold flasks securely in place. Stackable. Autoclavable. Excellent chemical resistance. 6 3/4 inch in diameter and 2 inches high.

Part No.	Description	Qty/Pk
PPFS	Flask Stand	6/pack

LABORATORY SPATULA/SPOON – POLYPROPYLENE - *NEW*



Universal tool for the lab. One end is flat and one end is a spoon.

Part No.	Description	Qty/Case
LSPS6PP	Lab Spatula/Spoon, 6 inches, 12/pack	10 packs
LSPS8PP	Lab Spatula/Spoon, 8 inches, 12/pack	10 packs

SPATULAS – STAINLESS STEEL WITH WOODEN HANDLE - *NEW*



Spatula with flexible stainless steel blade and rounded end. Riveted wooden handle.

Part No.	Description	Qty/Pk
SSWH3	With 3 inch blade	12/pack
SSWH4	With 4 inch blade	12/pack
SSWH5	With 5 inch blade	12/pack
SSWH6	With 6 inch blade	12/pack
SSWH8	With 8 inch blade	12/pack
SSWH10	With 10 inch blade	12/pack

LABORATORY SPATULA/SPOON – STAINLESS STEEL - *NEW*



Universal tool for the lab. One end is flat and one end is a spoon. 6 inch total length.

Part No.	Description	Qty/Case
LSPS6SS	Lab Spatula/Spoon, 10/pack	10 pack

LABORATORY SPATULA – STAINLESS STEEL, BOTH ENDS FLAT - *NEW*



Stainless steel spatula with both ends flat. 6 inch total length.

Part No.	Description	Qty/Case
FES6SS	Flat Ends Spatula, 10/pack	10 pack